

CLAIMS

1. A cabinet scraper, comprising a body having two integrally formed handles and a contact surface for contact with a blade having two ends, one of which contacts a workpiece during use of the cabinet scraper, the contact surface including a recessed portion, wherein at least a portion of the body extends beyond the end of the blade opposite the workpiece-contacting blade end.
2. The cabinet scraper of claim 1, further comprising a clamp bar having a second contact surface for contact with the blade.
3. The cabinet scraper of claim 2, further comprising means for securing the clamp bar to the body.
4. The cabinet scraper of claim 2, further comprising screws for securing the clamp bar to the body.
5. The cabinet scraper of claim 2, wherein the clamp bar further comprises a chamfer.
6. The cabinet scraper of claim 5, wherein the chamfer extends between apertures on each end of the clamp bar and does not extend the entire length of the clamp bar.

7. The cabinet scraper of claim 1, further comprising an adjustment screw for adjusting scraping action.

8. The cabinet scraper of claim 1, further comprising an adjustment screw for adjusting the camber of the blade.

9. A cabinet scraper comprising:

(a) a body;

(b) a blade; and

(c) a clamp bar for securing the blade to the body, the clamp bar comprising a chamfer.

10. The cabinet scraper of claim 9, further comprising means for securing the clamp bar to the body.

11. The cabinet scraper of claim 9, further comprising screws for securing the clamp bar to the body.

12. The cabinet scraper of claim 9, wherein the chamfer extends between apertures on each end of the clamp bar and does not extend the entire length of the clamp bar.

13. The cabinet scraper of claim 9, wherein the body further comprises a projection having a blade contact surface and a recessed portion that does not contact the blade and wherein at least a portion of the projection extends beyond the length of the blade.

14. A cabinet scraper, comprising:

(a) a blade having two ends, one of which contacts a workpiece during use of the cabinet scraper;

(b) a body comprising:

(1) two integrally formed handles, and

(2) a projection including a first contact surface for contact with the blade and a recessed portion that does not contact the blade, wherein at least a portion of the projection extends beyond the end of the blade opposite the workpiece-contacting blade end; and

(c) a clamp bar comprising a second contact surface for contact with the blade and a chamfer.